



# EPIDEMIOLOGY AND SAFETY STUDIES

## A Selected List of Publications by Thomson Reuters Researchers

Healthcare researchers from Thomson Reuters have an exceptionally strong record for publication in peer-reviewed journals. Below is a select list of publications on epidemiology and drug safety topics authored by our researchers. Author's names in bold are, or were at the time the work was written, Thomson Reuters staff.

2011

---

Amin AN, **Lenhart G**, **Princic N**, Lin J, Thompson S, **Johnston S**. Retrospective administrative database study of the time period of venous thromboembolism risk during and following hospitalization for major orthopedic or abdominal surgery in real-world US patients. *Hospital Practice* 2011; 39(2): 7–17.

**Bonafede MM**, Kalsekar A, Pawaskar M, **Ruiz KM**, **Torres AM**, Kelly KR, **Curkendall SM**. Insulin use and persistence in patients with type 2 diabetes adding mealtime insulin to a basal regimen: A retrospective database analysis. *BMC Endocrine Disorders* 2011; 11: 3.

**Cao Z**, Zou KH, Baker CL, Su J, Paulose-Ram R, **Durden E**, **Shi N**, Shah H. Respiratory-related medical expenditure and inpatient utilisation among COPD patients receiving long-acting bronchodilator therapy. *Journal of Medical Economics* 2011; 14(2): 147–58.

Deitelzweig SB, **Johnson BH**, Lin J, **Schulman KL**. Prevalence of clinical venous thromboembolism in the USA: Current trends and future projections. *American Journal of Hematology* 2011; 86(2): 217–20.

Deitelzweig SB, Lin J, **Johnson BH**, **Schulman KL**. Venous thromboembolism in the US: Does race matter? *Journal of Thrombosis and Thrombolysis* 2011; 31(2): 133–8.

Francis BH, **Song X**, Andrews LM, Purkayastha D, **Princic N**, **Sedgley R**, Rudolph AE. Progression to type 2 diabetes, healthcare utilization, and cost among pre-diabetic patients with or without comorbid hypertension. *Current Medical Research and Opinion* 2011; 27(4): 809–19.

Foster SA, **Foley KA**, Meadows ES, Johnston JA, **Wang SS**, Pohl GM, **Long SR**. Adherence and persistence with teriparatide among patients with commercial, Medicare, and Medicaid insurance. *Osteoporosis International* 2011; 22(2): 551–7.



- Johnston SS**, Conner C, Aagren M, **Smith DM**, Bouchard J, Brett J. Evidence linking hypoglycemic events to an increased risk of acute cardiovascular events in patients with type 2 diabetes. *Diabetes Care* 2011; 34(5): 1164–70.
- Palmer L**, Hall CB, Katkin JP, **Shi N**, Masaquel AS, McLaurin KK, Mahadevia PJ. Respiratory outcomes, utilization and costs 12 months following a respiratory syncytial virus diagnosis among commercially insured late-preterm infants. *Current Medical Research and Opinion* 2011; 27(2): 403–12.
- Shi N**, **Palmer L**, **Chu BC**, Katkin JP, Hall CB, Masaquel AS, Mahadevia PJ. Association of RSV lower respiratory tract infection and subsequent healthcare use and costs: A Medicaid claims analysis in early-preterm, late-preterm, and full-term infants. *Journal of Medical Economics* 2011; 14(3): 335–40.
- Song X**, **Varker H**, Eichelbaum M, Stopfer P, Shahidi M, **Wilson K**, Kaiser R, Finnern HW. Treatment of lung cancer patients and concomitant use of drugs interacting with cytochrome P450 isoenzymes. *Lung Cancer* 2011; March 5; [Epub ahead of print].
- Song X**, Zhao Z, Barber B, **Gregory C**, Wang PF, **Long SR**. Treatment patterns and metastasectomy among mCRC patients receiving chemotherapy and biologics. *Current Medical Research and Opinion* 2011; 27(1): 123–30.

## 2010

---

- Amin AN, Lin J, **Johnson BH**, **Schulman KL**. Clinical and economic outcomes with appropriate or partial prophylaxis. *Thrombosis Research* 2010; 125(6): 513–7.
- Bonafede MM**, Kalsekar A, Pawaskar M, **Ruiz KM**, **Torres AM**, Kelly KR, **Curkendall SM**. A retrospective database analysis of insulin use patterns in insulin-naïve patients with type 2 diabetes initiating basal insulin or mixtures. *Patient Preference and Adherence* 2010; 4: 147–56.
- Curns AT, Steiner CA, Barrett M, **Hunter K**, **Wilson E**, Parashar UD. Reduction in acute gastroenteritis hospitalizations among US children after introduction of rotavirus vaccine: Analysis of hospital discharge data from 18 US states. *Journal of Infectious Diseases* 2010; 201(11): 1617–24.
- El Khoury AC, **Durden E**, Ma L, Markson LE, Lee AW, Duan Y, **Foley K**. Perception and management of fever in infants up to six months of age: A survey of US pediatricians. *BMC Pediatrics* 2010; 10(1): 95.
- Foley KA**, Wang PF, Barber BL, **Long SR**, **Bagalman JE**, Wagner V, **Song X**, Zhao Z. Clinical and economic impact of infusion reactions in patients with colorectal cancer treated with cetuximab. *Annals of Oncology* 2010; 21(7): 1455–61.
- Goetzel RZ**, Roemer EC, **Pei X**, **Short ME**, **Tabrizi MJ**, Wilson MG, Dejoy DM, Craun BA, Tully KJ, White JM, Baase CM. Second-year results of an obesity prevention program at the Dow Chemical Company. *Journal of Occupational and Environmental Medicine* 2010; 52(3): 291–302.



**Margolis J**, Gerber RA, Roberts C, Gheorghiade M. Adherence to aldosterone-blocking agents in patients with heart failure. *American Journal of Therapeutics* 2010; 17(5): 446–54.

**Mark TL**. For what diagnoses are psychotropic medications being prescribed? A nationally representative survey of physicians. *CNS Drugs* 2010; 24(4): 319–26.

Rugo HS, Kohles J, **Schulman KL**. Cost comparison of capecitabine in patients with breast cancer. *American Journal of Clinical Oncology* 2010; 33(6): 550–6.

Sarsour K, Morin CM, **Foley K**, Kalsekar A, Walsh JK. Association of insomnia severity and comorbid medical and psychiatric disorders in a health plan-based sample: Insomnia severity and comorbidities. *Sleep Medicine* 2010; 11(1): 69–74.

## 2009

---

Amin AN, Lin J, **Lenhart G**, **Schulman KL**. Clinical and economic outcomes in patients at risk of venous thromboembolism receiving appropriate enoxaparin or unfractionated heparin prophylaxis. *Thrombosis and Haemostasis* 2009; 102(2): 321–6.

Centorrino F, **Mark TL**, Talamo A, Oh K, Chang J. Health and economic burden of metabolic comorbidity among individuals with bipolar disorder. *Journal of Clinical Psychopharmacology* 2009; 29(6): 595–600.

Chu E, **Schulman KL**, Zelt S, **Song X**. Costs associated with complications are lower with capecitabine than with 5-fluorouracil in patients with colorectal cancer. *Cancer* 2009; 115(7): 1412–23.

Chu E, **Shi N**, Wei W, Bendell JC, Cartwright T. Costs associated with capecitabine or 5-fluorouracil monotherapy after surgical resection in patients with colorectal cancer. *Oncology* 2009; 77(3–4): 244–53.

Citrome L, Reist C, **Palmer L**, **Montejano L**, **Lenhart G**, Cuffel B, Harnett J, Sanders KN. Dose trends for second-generation antipsychotic treatment of schizophrenia and bipolar disorder. *Schizophrenia Research* 2009; 108(1–3): 238–44.

Citrome L, Reist C, **Palmer L**, **Montejano LB**, **Lenhart G**, Cuffel B, Harnett J, Sanders KN. Impact of real-world ziprasidone dosing on treatment discontinuation rates in patients with schizophrenia or bipolar disorder. *Schizophrenia Research* 2009; 115(2–3): 115–20.

**Curkendall SM**, Natoli JL, Alexander CM, Nathanson BH, Haidar T, Dubois RW. Economic and clinical impact of inpatient diabetic hypoglycemia. *Endocrine Practice* 2009; 15(4): 302–12.

Lee DW, **Foster DA**. The association between hospital outcomes and diagnostic imaging: Early findings. *Journal of the American College of Radiology* 2009; 6: 780–785.

Lee DW, **Gibson TB**, **Carls GS**, **Ozminkowski RJ**, **Wang S**, Stewart EA. Uterine fibroid treatment patterns in a population of insured women. *Fertility and Sterility* 2009; 91(2): 566–74.

Madjid M, **Curkendall S**, Blumentals WA. The influence of oseltamivir treatment on the risk of stroke after influenza infection. *Cardiology* 2009; 113(2): 98–107.



- Mark TL, Kassed CA**, Vandivort-Warren R, **Levit KR**, Kranzler HR. Alcohol and opioid dependence medications: Prescription trends, overall and by physician specialty. *Drug and Alcohol Dependence* 2009; 99(1–3): 345–9.
- Naccarelli GV, **Varker H**, Lin J, **Schulman KL**. Increasing prevalence of atrial fibrillation and flutter in the United States. *American Journal of Cardiology* 2009; 104(11): 1534–9.
- Piedra PA, **Schulman KL**, Blumentals WA. Effects of oseltamivir on influenza-related complications in children with chronic medical conditions. *Pediatrics* 2009; 124(1): 170–8.
- Russell M, **Chu BC**, Banerjee A, Fan AZ, Trevisan M, Dorn JM, Gruenewald P. Drinking patterns and myocardial infarction: A linear dose-response model. *Alcoholism, Clinical and Experimental Research* 2009; 33(2): 324–31.
- Saif MW, **Shi N**, Zelt S. Capecitabine treatment patterns in patients with gastroesophageal cancer in the United States. *World Journal of Gastroenterology* 2009; 15(35): 4415–22.
- Silverman S, Dukes EM, **Johnston SS**, Brandenburg NA, Sadosky A, **Huse DM**. The economic burden of fibromyalgia: Comparative analysis with rheumatoid arthritis. *Current Medical Research and Opinion* 2009; 25(4): 829–40.

## 2008

---

- Alegría M, Chatterji P, Wells K, **Cao Z**, Chen CN, Takeuchi D, Jackson J, Meng XL. Disparity in depression treatment among racial and ethnic minority populations in the United States. *Psychiatric Services* 2008; 59(11): 1264–72.
- Bray J, Vandivort R, Dilonardo J, Dunlap L, **Schroeder D, Forhan C, Miller K**. Healthcare utilization of individuals with opiate use disorders: An analysis of integrated Medicaid and state mental health/substance abuse agency data. *Journal of Behavioral Health Services & Research* 2008; 35(1): 91–106.
- Curkendall SM**, Patel V, Gleeson M, Campbell RS, Zagari M, Dubois, RW. Compliance with biologic therapies for rheumatoid arthritis: Do patient out-of-pocket payments matter? *Arthritis and Rheumatism* 2008; 59(10): 1519–26.
- Dilonardo J, **Coffey R**, Vandivort-Warren R, Buck J. Inpatient utilization for persons with co-occurring disorders. *Psychiatric Services* 2008; 59(1): 14.
- Foster SA, **Foley KA**, Meadows ES, Johnston JA, **Wang S**, Pohl GM, **Long SR**. Characteristics of patients initiating raloxifene compared to those initiating bisphosphonates. *BMC Women's Health* 2008; 8(1): 24.
- Foster SA, **Foley KA**, Meadows ES, Johnston JA, **Wang S**, Pohl GM, **Long SR**. Characteristics of patients initiating teriparatide for the treatment of osteoporosis. *Osteoporosis International* 2008; 19(3): 373–7.



Hochberg MC, **Johnston SS**, John AK. The incidence and prevalence of extra-articular and systemic manifestations in a cohort of newly-diagnosed patients with rheumatoid arthritis between 1999 and 2006. *Current Medical Research and Opinion* 2008; 24(2): 469–80.

**Houchens RL**, Elixhauser A, Romano P. How often are potential “patient safety events” present on admission? *Joint Commission Journal on Quality and Patient Safety* 2008; 34(3): 154–163.

Kranzler HR, **Stephenson JJ**, **Montejano L**, **Wang S**, Gastfriend DR. Persistence with oral naltrexone for alcohol treatment: Implications for health-care utilization. *Addiction* 2008; 103(11): 1801–8.

**Mark TL**. Receipt of psychotherapy by adolescents taking antidepressants. *Psychiatric Services* 2008; 59(9): 963.

**Mucha L**, Shaohung S, Cuffel B, McRae T, **Mark TL**, Del Valle M. Comparison of cholinesterase inhibitor utilization patterns and associated health care costs in Alzheimer's disease. *Journal of Managed Care Pharmacy* 2008; 14(5): 451–61.

Peters PH, Moscona A, **Schulman KL**, Barr CE. Study of the impact of oseltamivir on the risk for pneumonia and other outcomes of influenza, 2000-2005. *Medscape Journal of Medicine* 2008; 10(6): 131.

Romanowicz M, Stephenson JJ, Del Rosso JQ, **Lenhart G**. Healthcare utilization and costs of patients with rosacea in an insured population. *Journal of Drugs in Dermatology* 2008; 7(1): 41–9.

Wish JB, Nassar GM, **Schulman K**, del Aguila M, Provenzano R. Postdialysis outcomes associated with consistent anemia treatment in predialysis patients with chronic kidney disease. *Clinical Nephrology* 2008; 69(4): 251–9.

Yazici Y, **Shi N**, John A. Utilization of biologic agents in rheumatoid arthritis in the United States: analysis of prescribing patterns in 16,752 newly diagnosed patients and patients new to biologic therapy. *Bulletin of the NYU Hospital for Joint Diseases* 2008; 66(2): 77–85.

## 2007

.....

Barr C, **Schulman K**, Iacuzio D, Bradley J. Effect of oseltamivir on the risk of pneumonia and use of health care services in children with clinically diagnosed influenza. *Current Medical Research and Opinion* 2007; 23(3): 523–31.

Blumentals WA, **Schulman KL**. Impact of oseltamivir on the incidence of secondary complications of influenza in adolescent and adult patients: Results from a retrospective population-based study. *Current Medical Research and Opinion* 2007; 23(12):2961–70.

Brixner DI, **Lenhart G**, Young DC, Samuelson WM. The effect of fixed combination of fluticasone and salmeterol on asthma drug utilization, asthma drug cost, and episodes of asthma exacerbations. *Current Medical Research and Opinion* 2007; 23(11): 2887–95.

Ernst FR, Johnston JA, Pulgar S, He J, Ball DE, **Young JK**, Cooper LM. Timing of drotrecogin alfa (activated) initiation in treatment of severe sepsis: A database cohort study of hospital mortality, length of stay, and costs. *Current Medical Research and Opinion* 2007; 23(1): 235–44.



- Foley KA**, Foster SA, Meadows ES, **Baser O**, **Long SR**. Assessment of the clinical management of fragility fractures and implications for the new HEDIS osteoporosis measure. *Medical Care* 2007; 45(9): 902–6.
- Hutchings A, Calloway M, Choy E, Hooper M, Hunter DJ, Jordan JM, Zhang Y, **Baser O**, **Long S**, **Palmer L**. The Longitudinal Examination of Arthritis Pain (LEAP) study: Relationships between weekly fluctuations in patient-rated joint pain and other health outcomes. *The Journal of Rheumatology* 2007; 34(11): 2291–300.
- Kutikova L, Bowman L, **Chang S**, **Long SR**, Thornton DE, **Crown WH**. Utilization and cost of health care services associated with primary malignant brain tumors in the United States. *Journal of Neurooncology* 2007; 81(1): 61–5.
- Larson MJ, **Miller K**, Fleming KJ. Treatment with antidepressant medications in private health plans. *Administration and Policy in Mental Health* 2007; 34(2): 116–26.
- Larson MJ, **Miller K**, Fleming KJ, Teich JL. Mental health services for children in large, employer-based health plans, 1999. *The Journal of Behavioral Health Services & Research* 2007; 34(1): 56–72.
- Lee TA, Shields AE, Vogeli C, **Gibson TB**, Woong-Sohn M, **Marder WD**, Blumenthal D, Weiss KB. Mortality rate in veterans with multiple chronic conditions. *Journal of General Internal Medicine* 2007; 22 Suppl 3: 403–7.
- Mark T**, Axelsen K, **Mucha L**, **Sadkova Y**. Racial differences in switching, augmentation and titration of lipid-lowering agents by Medicare/Medicaid dual-eligible patients. *The American Journal of Managed Care* 2007; 13 Suppl 3: S72–9.
- Mortimer JE, **Schulman K**, Kohles JD. Patterns of bisphosphonate use in the United States in the treatment of metastatic bone disease. *Clinical Breast Cancer* 2007; 7(9): 682–9.
- Nallamothu BK, **Young J**, Gurm HS, **Pickens G**, **Safavi K**. Recent trends in hospital utilization for acute myocardial infarction and coronary revascularization in the United States. *American Journal of Cardiology* 2007; 99(6): 749–53.
- Orzeck EA, **Shi N**, Blumentals WA. Oseltamivir and the risk of influenza-related complications and hospitalizations in patients with diabetes. *Clinical Therapeutics* 2007; 29(10): 2246–55.
- Vogeli C, Shields AE, Lee TA, **Gibson TB**, **Marder WD**, Weiss KB, Blumenthal D. Multiple chronic conditions: Prevalence, health consequences and implications for quality, care management, and costs. *Journal of General Internal Medicine* 2007; 22 Suppl 3: 391–5.
- Wang C, Kereiakes DJ, Bae JP, McCollam P, He J, **Griffin B**. Clopidogrel loading doses and outcomes of patients undergoing percutaneous coronary intervention for acute coronary syndromes. *The Journal of Invasive Cardiology* 2007; 19(10): 431–6.
- Wilson MG, **Goetzel RZ**, **Ozminkowski RJ**, DeJoy DM, Della L, Roemer EC, Schneider J, Tully KJ, White JM, Baase CM. Using formative research to develop environmental and ecological interventions to address overweight and obesity. *Obesity* 2007; 15 (Suppl 1): 37S–47S.
- Wynn ML, **Chang S**, Peipins LA. Temporal patterns of conditions and symptoms potentially associated with ovarian cancer. *Journal of Women's Health* 2007; 16(7): 971–86.



## 2006

---

- Burleigh E, Wang C, **Foster D, Heller S, Dunn D, Safavi K, Griffin B, Smith J**. Thromboprophylaxis in medically ill patients at risk for venous thromboembolism. *American Journal of Health System-Pharmacy* 2006; 63(20 Suppl 6): S23–9.
- Gosselein A, Pashos CL, Harley C, **Mark TL**, McKenzie RS. Drug administration frequency and provider office visit patterns for oncology patients during treatment with erythropoietic agents: An analysis of four observational studies. *Clinical Therapeutics* 2006; 28(10): 1701–09.
- Huse DM**, Castelli-Haley J, **Orsini LS, Lenhart G**, Abdalla JA. Patterns of initial pharmacotherapy for Parkinson's disease in the United States. *Journal of Geriatric Psychiatry and Neurology* 2006; 19(2): 91–97.
- Larson MJ, **Miller K**, Fleming KJ. Antidepressant medication use in private insurance health plans, 2002. *Psychiatric Services* 2006; 57(2): 175.
- Mark TL**, Buck J. Characteristics of U.S. youths with serious emotional disturbance: Data from the national health interview survey. *Psychiatric Services* 2006; 57(11): 1573–8.
- Mark TL**, Vandivort-Warren R, **Montejano L**. Factors affecting detoxification readmission: Analysis of public sector data from three states. *Journal of Substance Abuse Treatment*. 2006; 31(4): 439–45.
- Mucha L, Stephenson J, Morandi N**, Dirani R. Meta-analysis of disease risk associated with smoking, by gender and intensity of smoking. *Gender Medicine* 2006; 3(4): 279–91.
- Ozminkowski RJ, Goetzel RZ, Shechter D**, Stapleton DC, **Baser O**, Lapin P. Predictors of preventive service use among Medicare beneficiaries. *Health Care Financing Review* 2006; 27(3): 5–23.
- Safavi K**. Unintended consequences: Getting the most while avoiding the worst. *Journal of Healthcare Management* 2006; 51(6): 355–9.

## 2005

---

- Berndt E, **Crown W**, Kallich J, **Long S, Song X**, Lyman GH. The impact of anaemia and its treatment on employee disability and medical costs. *Pharmacoeconomics* 2005; 23(2): 183–192.
- Bray JW, Davis KL, Graver L, **Schroeder D**, Buck JA, Dilonardo J, Vandivort R. Mental health and substance abuse treatment utilization among individuals served by multiple public agencies in 3 states. *Journal of Behavioral Health Services & Research* 2005; 32(3): 282–93.
- Coffey RM**, Andrews RM, Moy E. Racial, ethnic, and socioeconomic disparities in estimates of AHRQ patient safety indicators. *Medical Care* 2005; 43(3 Suppl): I48–57.



Finkel S, Kozma C, **Long S**, Greenspan A, Mahmoud R, **Baser O**, Engelhart L. Risperidone treatment in elderly patients with dementia: Relative risk of cerebrovascular events versus other antipsychotics. *International Psychogeriatrics* 2005; 17(4): 1–13.

**Mark TL**, McKenzie RS, Fastenau J, Piech CT. Retrospective observational study of patients with chemotherapy-related anemia receiving erythropoietic agents. *Current Medical Research and Opinion* 2005; 21(9): 1347–1354.

## 2004

---

Kinchen KS, **Orsini L**, **Crown W**, Bump R. Healthcare utilization among women who undergo surgery for stress urinary incontinence. *International Urogynecology Journal of Pelvic Floor Dysfunction* 2004; 15(3): 154–159.

**Mark TL**, **Coffey RM**. The decline in receipt of substance abuse treatment by the privately insured, 1992–2001. *Health Affairs* 2004; 23(6): 157–162.

**Mark TL**. Are medications for alcoholism underutilized? An analysis of private sector and Medicaid claims. *Drug Benefit Trends* 2004; 16(3): 154–158.

**Mark TL**. Preferences among antipsychotic medications given particular clinical scenarios. *Schizophrenia Research* 2004; 66(1): 71–73.

**Orsini L**, Limpa-Amara S, **Crown WH**, Stanford RH, and Kamal K. Asthma hospitalization risk and costs for patients treated with fluticasone propionate vs. montelukast. *Annals of Allergy, Asthma and Immunology* 2004; 92(5): 523–529.

**Ozminkowski RJ**, **Marder WD**, **Hawkins K**, **Wang S**, Stallings SC, Finkelstein SN, Sinsky AJ, Wierz D. The use of disease-modifying new drugs for multiple sclerosis treatment in private-sector health plans. *Clinical Therapeutics* 2004; 26(8): 1341–1354.

Papatheofanis F, Fahrback K, **Mark TL**, Chiang T, Frame D, Suruki RY, Scheye R, Drielick M, Nalysnyk L. A pooled analysis of observational data evaluating usage and clinical outcomes of erythropoietic agents. *Journal of Clinical Oncology* 2004; 22(14S): 6114.

Salkever DS, Slade EP, Karakus M, **Palmer L**, **Russo PA**. Estimation of antipsychotic effects on hospitalization risk in a naturalistic study with selection on unobservables. *The Journal of Nervous and Mental Disease* 2004; 192(2): 119–128.

## 2003

---

Barrio C, Yamada AM, Atuel H, Hough RL, Yee S, Berthot B, **Russo PA**. A tri-ethnic examination of symptom expression on the positive and negative syndrome scale in schizophrenia spectrum disorders. *Schizophrenia Research* 2003; 60(2–3): 259–69.



- Cohen FJ, Neslusan CA, **Conklin JE**, **Song X**. Recent antihyperglycemic prescribing trends for U.S. privately insured patients with type 2 diabetes. *Diabetes Care* 2003; 26(6): 1847–1851.
- Crown WH**, Olufade A, **Smith MW**, Nathan R. Seasonal versus perennial allergic rhinitis: Drug and medical resource utilization patterns. *Value in Health* 2003; 6(4): 448–456.
- Mark TL**, Dilonardo JD, Chalk M, **Coffey R**. Factors associated with the receipt of treatment following detoxification. *Journal of Substance Abuse Treatment* 2003; 24(4): 299–304.
- Mark TL**, Kranzler HR, Poole VH, Hagen CA, McLeod C, Crosse S. Barriers to the use of medications to treat alcoholism. *American Journal on Addictions* 2003; 12(4): 281–294.
- Mark TL**, Kranzler HR, **Song X**, Bransberger P, Poole VH, Crosse S. Physicians' opinions about medications to treat alcoholism. *Addiction* 2003; 98(5): 617–626.
- Mark TL**, Kranzler HR, **Song X**. Understanding US addiction physicians' low rate of naltrexone prescription. *Drug and Alcohol Dependence* 2003; 71(3): 219–228.
- Mark TL**, **Palmer LA**, **Russo PA**, Vasey J. Examination of treatment pattern differences by race. *Mental Health Services Research* 2003; 5(4): 241–250.
- Mark TL**, Swait J. Using stated preference modeling to forecast the effect of medication attributes on prescriptions of alcoholism medications. *Value in Health* 2003; 6(4): 474–482.
- Ozminkowski RJ**, **Mark TL**, **Goetzel RZ**, Blank D, Walsh JM, Cangianelli L. Relationships between urinalysis testing for substance use, medical expenditures, and the occurrence of injuries at a large manufacturing firm. *The American Journal of Drug and Alcohol Abuse* 2003; 29(1): 151–167.
- Teich J, **Buck J**, **Graver L**, **Schroeder D**, **Zheng D**. Utilization of public mental health services by children with serious emotional disturbances. *Administration and Policy in Mental Health* 2003; 30(6): 523–34.
- Thomas P, **Goetzel RZ**, **Ozminkowski RJ**, Kassabian VS, **Schutt DC**. Results of a men's urological health screening program at Lockheed Martin Aeronautical Systems. *Disease Management Health Outcomes* 2003; 11(3): 181–189.

## 2002

---

- Berndt E, **Crown W**. Labor force activity in cancer patients with anemia. *Quality of Life in Oncology* 2002; 5(4): 10–13.
- Crown W**, Finkelstein S, Berndt E, **Ling D**, **Poret A**, Rush J, Russell J. The impact of treatment-resistant depression on healthcare utilization and costs. *Journal of Clinical Psychiatry* 2002; 63(11): 963–971.
- Crystal-Peters J**, **Chang S**, **Long S**, Tretiak R. Health care expenditures of patients with major depressive disorder and post traumatic stress disorder. *European Psychiatry* 2002; 17(Suppl. 1): 150.



**Crystal-Peters J**, Neslusan C, **Crown WH**, **Torres A**. Treating allergic rhinitis in patients with comorbid asthma: The risk of asthma related hospitalizations and emergency room visits. *The Journal of Allergy and Clinical Immunology* 2002; 109(1): 57–62.

**Mark TL**, Dilonardo JD, Chalk M, **Coffey RM**. Trends in inpatient detoxification services: 1992–1997. *Journal of Substance Abuse Treatment* 2002; 23(4): 253–260.

**Mark,TL**, **Dirani R**, Slade E, **Russo PA**. Access to new medications to treat schizophrenia. *Journal of Behavioral Health Services & Research* 2002; 29(1): 15–29.

**Russo P**, **Smith MW**, **Dirani R**, Namjoshi M, Tohen M. Pharmacotherapy patterns in the treatment of bipolar disorder. *Bipolar Disorder* 2002; 4(6): 366–377.

Sternfeld B, Swindle R, **Chawla A**, **Long S**, **Kennedy S**. Severity of premenstrual symptoms in a health maintenance organization population. *Obstetrics & Gynecology* 2002; 99(6): 1014–1024.

## 2001

.....

**Ling D**, Bresnahan B, **White A**, Neslusan C, **Crown W**. Risk of hospitalization for patients with bipolar disorder. *Value in Health* 2001; 4(2): 144.

**Wasserman J**, Boyce-Smith G, Hopkins DS, **Schabert V**, Davidson MB, **Ozminkowski RJ**, Albright A, **Kennedy S**. A comparison of diabetes patients' self-reported health status with hemoglobin A1c test results in 11 California health plans. *Managed Care* 2001; 10(3): 58–70.

## 2000

.....

Shea D, **Russo P**, Smyer M. Use of mental health services by persons with a mental illness in nursing facilities: Initial impacts of OBRA87. *Journal of Aging and Health* 2000; 12(4): 560–577.

## 1999

.....

**Dunn RL**, Donaghue JM, **Ozminkowski RJ**, Hylan TR. Longitudinal patterns of antidepressant prescribing in primary care in the UK: Comparison with treatment guidelines. *Journal of Psychopharmacology* 1999; 13(2): 136–143.

Experton B, **Ozminkowski RJ**, Pearlman DN, Li Z, Thompson SK. How does managed care manage the frail elderly? The case of hospital readmissions in fee-for-service versus HMO systems. *American Journal of Preventive Medicine* 1999; 16(3): 163–172.

Hylan T, **Crown W**, **Meneades L**, Heiligenstein J, Melfi C, Croghan T, Buesching D. SSRI antidepressant drug use patterns in the naturalistic setting: A multivariate analysis. *Medical Care* 1999; 37(4): AS36–AS44.



THOMSON REUTERS

Hylan T, **Meneades L, Crown W**, Sacristan J, Gilaberte I, Montejo AL. SSRI antidepressant use patterns and their relation to clinical global impression scores: A naturalistic study. *Journal of Affective Disorders* 1999; 52: 111–119.

Stafford RS, Saglam D, Causino N, Starfield B, Culpepper L, **Marder WD**, Blumenthal D. Trends in adult visits to primary care physicians in the United States. *Archives of Family Medicine* 1999; 8(1): 26–32.

Treglia M, **Neslusan CA, Dunn RL**. The effect of initiating therapy on fluoxetine and dothiepin on health care resource utilization in the United Kingdom. *International Journal of Psychiatry and Clinical Practice* 1999; 3: 23–30.

To contact Thomson Reuters regarding these and other-authored studies, please call +1 866 301 5419 or e-mail [marketscan@thomsonreuters.com](mailto:marketscan@thomsonreuters.com).