



MARKETSCAN COMPARATIVE EFFECTIVENESS RESEARCH

A SELECTED LIST OF PUBLICATIONS

Since 1988, healthcare researchers have used *Thomson Reuters MarketScan*[®] data to understand disease progression, treatment patterns, health outcomes, and their associated costs to patients, employers, health plans, and the government. Fully HIPAA compliant, the *MarketScan* databases are the gold standard in proprietary databases used for healthcare research in the United States.

Below is an abbreviated bibliography of CER studies using *MarketScan* data published in peer-reviewed journals since 2000.

2010

.....

Bonafede MM, Kalsekar A, Pawaskar M, Ruiz KM, Torres AM, Kelly KR, Curkendall SM. A retrospective database analysis of insulin use patterns in insulin-naïve patients with type 2 diabetes initiating basal insulin or mixtures. ***Patient Preference and Adherence*** 2010; 4: 147–56.

Devine ST, Weisbart E, Barron J, Behm A. Acute epilepsy exacerbations in patients switched between A-rated anti-epileptic drugs. ***Current Medical Research and Opinion*** 2010; 26(2): 455–63.

Gibson TB, Jing Y, Kim E, Bagalman E, Wang S, Whitehead R, Tran QV, Doshi JA. Cost-sharing effects on adherence and persistence for second-generation antipsychotics in commercially insured patients. ***Managed Care*** 2010; 19(8): 40–7.

Gibson TB, Song X, Alemayehu B, Wang SS, Waddell JL, Bouchard JR, Forma F. Cost sharing, adherence, and health outcomes in patients with diabetes. ***American Journal of Managed Care*** 2010; 16(8): 589–600.

Hansen RA, Farley JF, Droege M, Maciejewski ML. A retrospective cohort study of economic outcomes and adherence to monotherapy with metformin, pioglitazone, or a sulfonylurea among patients with type 2 diabetes mellitus in the United States from 2003 to 2005. ***Clinical Therapeutics*** 2010; 32(7): 1308–19.

Katz M, Scherger J, Conrad S, Montejano L, Chang S. “Healthcare Costs Associated with Switching from Brand to Generic Levothyroxine.” *American Health & Drug Benefits*. 2010;3(2):127-134.

Yang W, Chang J, Kahler KH, Fellers T, Orloff J, Wu EQ, Bensimon AG. Evaluation of compliance and health care utilization in patients treated with single pill vs. free combination antihypertensives. ***Current Medical Research and Opinion*** 2010; 26(9): 2065–76.



2009

Amin AN, Lin J, Lenhart G, Schulman KL. Clinical and economic outcomes in patients at risk of venous thromboembolism receiving appropriate enoxaparin or unfractionated heparin prophylaxis. ***Thrombosis and Haemostasis*** 2009; 102(2): 321–6.

Gibson TB, Lee TA, Vogeli CS, Hidalgo J, Carls GS, Sredl K, DesHarnais S, Marder WD, Weiss KB, Williams TV, Shields AE. A four-system comparison of patients with chronic illness: The Military Health System, Veterans Health Administration, Medicaid, and commercial plans. ***Military Medicine*** 2009; 174(9): 936–43.

Mark TL, Gibson TB, McGuigan KA. The effects of antihypertensive step-therapy protocols on pharmaceutical and medical utilization and expenditures. ***American Journal of Managed Care*** 2009; 15(2): 123–31.

Motsko SP, Russmann S, Ming EE, Singh VP, Vendiola RM, Jones JK. Effectiveness of rosuvastatin compared to other statins for the prevention of cardiovascular events—a cohort study in 395,039 patients from clinical practice. ***Pharmacoepidemiology and Drug Safety*** 2009; 18(12): 1214–22.

Nair KV, Tang B, Van Den Bos J, Zhang V, Saseen JJ, Naim A, Rahman M. Categorization of infliximab dose changes and healthcare utilization and expenditures for patients with rheumatoid arthritis in commercially insured and Medicare-eligible populations. ***Current Medical Research and Opinion*** 2009; 25(2): 303–14.

2008

Mucha L, Shaohung S, Cuffel B, McRae T, Mark TL, Del Valle M. Comparison of cholinesterase inhibitor utilization patterns and associated health care costs in Alzheimer's disease. ***Journal of Managed Care Pharmacy*** 2008; 14(5): 451–61.

Wang MT, Skrepnek GH, Armstrong E, Sherrill DL, Harris RB, Tsai CL, Malone DC. Use of salmeterol with and without concurrent use of inhaled corticosteroids and the risk of asthma-related hospitalization among patients with asthma. ***Current Medical Research and Opinion*** 2008; 24(3): 859–67.

2007

Brixner DI, Lenhart G, Young DC, Samuelson WM. The effect of fixed combination of fluticasone and salmeterol on asthma drug utilization, asthma drug cost, and episodes of asthma exacerbations. ***Current Medical Research and Opinion*** 2007; 23(11): 2887–95.



2006

Gibson TB, Mark TL, Axelsen K, Baser O, Rublee DA, McGuigan KA. Impact of statin copayments on adherence and medical care utilization and expenditures. *American Journal of Managed Care* 2006; 12(12 Spec No): SP11–9.

Gibson TB, Mark TL, McGuigan KA, Axelsen K, Wang S. The effects of prescription drug copayments on statin adherence. *American Journal of Managed Care* 2006; 12(9): 509–17.

Huse DM, Song X, Ozminkowski RJ, Maguire J, Williams SA, Borok GM, McDonough K. Impact of rosuvastatin use on costs and outcomes in patients at high risk for cardiovascular disease in US managed care and Medicare populations: A data analysis. *Clinical Therapeutics* 2006; 28(9): 1425–42.

2000 - 2005

Busch SH, Leslie DL, Rosenheck RA. Comparing the quality of antidepressant pharmacotherapy in the Department of Veterans Affairs and the private sector. *Psychiatric Services* 2004; 55(12): 1386–1391.

Finkel S, Kozma C, Long S, Greenspan A, Mahmoud R, Baser O, Engelhart L. Risperidone treatment in elderly patients with dementia: Relative risk of cerebrovascular events versus other antipsychotics. *International Psychogeriatrics* 2005; 17(4): 1–13.

Gibson TB, McLaughlin CG, Smith DG. A copayment increase for prescription drugs: The long-term and short-term effects on use and expenditures. *Inquiry* 2005; 42: 293–310.

Lage MJ, Barber BL, Bowman L, Ball DE, Bala M. Shorter hospital stays for angioplasty patients who receive abciximab. *The Journal of Invasive Cardiology* 2000; 12(4): 179–186.

Lage MJ, Barber BL, McCollam PL, Bala M, Scherer J. Impact of abciximab versus eptifibatid on length of hospital stay for PCI patients. *Catheterization and Cardiovascular Intervention* 2001; 53(3): 296–303.

Lage MJ, Barber BL, McCollam PL, Bala M, Scherer J. Impact of abciximab versus tirofiban on hospital length of stay for PCI patients. *Catheterization and Cardiovascular Intervention* 2001; 52(3): 298–305.

Orsini L, Limpa-Amara S, Crown WH, Stanford RH, Kamal K. Asthma hospitalization risk and costs for patients treated with fluticasone propionate vs montelukast. *Annals of Allergy, Asthma and Immunology* 2004; 92(5): 523–529.

Suh D, Thomas SK, Valiyeva E, Arcona S, Vo L. Drug persistency of two cholinesterase inhibitors: Rivastigmine versus donepezil in elderly patients with Alzheimer's disease. *Drugs & Aging* 2005; 22(8): 695–707.

To contact Thomson Reuters regarding these and other authored studies, please call +1 866 301 5419 or e-mail cer@thomsonreuters.com.