

# Control Sound Transparently



## PrivaSEE

STC 36 Sound Rated  
Frameless Opening Glass Wall

**NanaWall**  
Engineering the Exceptional





## PrivaSEE™—Control Sound Transparently



STC 36  
Sound Rated



Frameless All  
Glass Single Track  
Sliding System



No Floor Track  
Required

NanaWall PrivaSEE is the only all glass single track sliding system specifically engineered for enhanced acoustical separation. PrivaSEE provides better sound buffering than many fixed all glass partitions. Patent pending PrivaSEE has been independently tested and rated to an accomplished STC of 36 and OITC of 30.

PrivaSEE offers flexible space management solutions for offices, banks, schools, and more which goes beyond what a fixed glass wall provides. With no floor track required, PrivaSEE allows for uninterrupted transitions between interior spaces.

When the wall is closed, the beauty of an all glass aesthetic is realized with the added benefit of acoustical sound privacy. With concealed gaskets and locking, PrivaSEE allows for maximum transparency, natural daylighting and a clean, modern appearance making it suitable for all design styles.

### ENGINEERING THE EXCEPTIONAL

Through innovative NanaWall engineering, PrivaSEE is able to achieve its high sound ratings. Comprised of exclusive proprietary features, some key components are:


#### Transparent Vertical Acoustical Seals

Super clear edge seals are used between panels for enhanced acoustical separation, which furthermore eliminates glass to glass and metal to metal contact. Seals virtually disappear from sight. The light transmittance (LT) of the sound seals has been independently tested and rated for 75% clarity and luminosity.



#### Self-Activated Interlock and Horizontal Compression Seals

The automatic floor bolt and horizontal compression drop seals are self-activated by simply moving the panels to one another. The unique wheel and ramp assembly automatically locks the panel into place without the need to kneel and lock it manually.







## Sound Enhanced Laminated Glass


Standard to PrivaSEE is 1/2" (13 mm) laminated glass with a sound enhanced interlayer providing reduced sound transmission. All vertical edges are polished.

## System Security

Each closed panel of PrivaSEE can be securely locked in place. When desired, the single action swing panel can be secured from outside access with either an optional spring activated quick release floor bolt or a profile cylinder in the bottom rail. Optional Tubo100 is also available for convenient hand height locking.

## Swing Door with Offset Hinge

For easy access, PrivaSEE configurations come standard with a single action swing panel equipped with a floor closer at the side jamb. The swing panel with offset hinge allows for a maximum 180° swing and has been commercially tested to 100,000 opening and closing cycles. ADA compliant options available.



## One Hand Operation

German engineered roller system ensures quiet, smooth, and trouble free single hand operation by using an "intelligent" guiding system.

## No Floor Track Required

PrivaSEE uses adjustable eccentric floor sockets rather than a floor track keeping a clean aesthetic.

## Custom Panel Sizes

Panels are available up to 10' 6" (3200 mm) in height and up to 4' 1" (1250 mm) in width. Single action swing panels are available up to 10' 6" (3200 mm) in height and 3' 7" (1100 mm) in width. Please confirm with local codes on height limits with 1/2" (13 mm) thick glass.


In tight stacking conditions where a swing door is not required, a minimal 1' 8" (500 mm) swing panel is available.

## Single Track Sliding

Offering complex design flexibility, the single track design is able to create an **unlimited** span of top-hung panels for straight openings of any size.

## Parking Bay and Stacking Design Flexibility

To optimize space management, customizable stacking and parking bay options are possible.









Example Configurations—Possible with Any Number of Panels


System stacking and swing panel can be provided at either one end or both to accommodate traffic patterns.



With Full Size Swing Panel




With Half Size Swing Panel




Perpendicular to Opening



Parallel Pocket



Parallel to Wall



Perpendicular Remote Pocket



Perpendicular Remote

Finish Options\*

Anodized Metal Options

PrivaSEE comes standard with a clear anodized finish. To accommodate varying interior designs, brushed, dark bronze and black anodized finishes are available.



Clear Anodized




Brushed Anodized



Dark Bronze Anodized



Black Anodized



Head Track with Concealed Locking and Floor Socket

Scale: 1/4"=1"

\*Please contact NanaWall for powder coat, custom color, and mix and match options.



# PrivaSEE—Control Sound Transparently




STC 36  
Sound Rated



Frameless All  
Glass Single Track  
Sliding System



No Floor Track  
Required



Contact NanaWall's Dedicated Design Team for 3-D Conceptual Drawings of your project. To learn more about NanaWall products for interiors, please see [nanawall.com/interiors](http://nanawall.com/interiors)

## THE ONE AND ONLY NANAWALL

NanaWall redefined the category of opening glass wall systems. During our 30-plus years in business, we have earned the trust of architects, builders, design professionals, and homeowners as a solutions provider for re-imagining how buildings, people, and the elements interact. By combining precision engineering and outstanding design options across more than 20 unique systems, we advance design possibilities beyond the conventional for almost any space.



Folding Glass Walls



Single Track Sliding Glass Walls



Frameless Glass Walls

**NanaWall®**  
Engineering the Exceptional

Nana Wall Systems, Inc.  
100 Meadowcreek Drive #250  
Corte Madera, CA 94925

800 873 5673  
415 383 3148  
Fax 415 383 0312

[info@nanawall.com](mailto:info@nanawall.com)  
[nanawall.com](http://nanawall.com)