

## Evolved for speed

### *KAPA2G Fast*


KAPA2G Fast DNA Polymerase is a second-generation (2G) enzyme engineered for higher processivity and speed, offering significantly faster extension rates than wild-type Taq polymerase. In addition to speed, KAPA2G Fast provides higher yields and sensitivity than competitor enzymes across a broad range of targets<sup>1</sup>.

#### Gains from KAPA2G Fast:

- **Save valuable time**  
Reach extension times as low as 1 sec/kb and reduce PCR reaction times by up to 75%
- **Work with difficult templates**  
Broad coverage of both AT- and GC-rich targets
- **Continuously improve your PCR assay development**  
HotStart and ReadyMix formulations available




#### Reduced cycling times up to 75%



**Figure 1: Total PCR times for the generation of different sized amplicons for human genomic DNA ( $\leq 3.5$  kb) and lambda ( $\leq 5$  kb) using wild-type Taq DNA polymerase and KAPA2G Fast DNA Polymerase.** The amount of time that can be saved using protocols based on wild-type Taq is limited by the extension rate of the enzyme. KAPA2G Fast DNA Polymerase is based on a second-generation polymerase with an ability to synthesize DNA faster than wild-type Taq or other DNA polymerases. Reaction times are based on a 35-cycle program using the cycling profile recommended by each kit manufacturer<sup>1</sup>.

<sup>1</sup>Reference: data on file at Roche.  
For further processing only.

## Increased speed and performance



**Figure 2: Amplification of 5 human gene fragments using KAPA2G Fast HotStart or competitor hot-start Taq formulations.** Reactions (25 µL) contained 5 ng human genomic DNA and 0.5 units (KAPA2G Fast HotStart and Competitor I) or 0.625 units (Competitor A and Q) enzyme. For amplicons with a GC content >65% (lanes 2 and 3), 7.5% DMSO was included in reactions. A 3-step cycling profile (35 cycles) with 15 sec denaturation (95°C) and 15 sec annealing (60°C) per cycles was used for all enzymes. The extension (72°C) was 1 sec/cycle for KAPA2G Fast HotStart and 60 sec/cycle for competitor enzymes. The total reaction time for each enzyme is indicated<sup>1</sup>.

## Ordering information

Product	Pack size	Catalog number
KAPA2G Fast HotStart PCR Kit	5 kU	08 041 202 001
KAPA2G Fast HotStart ReadyMix	12.5 ml	08 041 172 001

## <sup>1</sup>Reference

Data on file at Roche.

## Regulatory disclaimer

For further processing only.

[custombiotech.roche.com](http://custombiotech.roche.com)

## Please contact your local CustomBiotech representative

### Europe, Middle East, Africa, Latin America

Phone +49 621 759 8580  
Fax +49 621 759 6385  
[mannheim.custombiotech@roche.com](mailto:mannheim.custombiotech@roche.com)

### United States

Phone +1 800 428 5433, ext. 14649 (toll-free)  
Fax +1 317 521 4065  
[custombiotech.ussales@roche.com](mailto:custombiotech.ussales@roche.com)

### Canada

Phone +1 450 686 7050  
Fax +1 450 686 7012  
[custombiotech.can@roche.com](mailto:custombiotech.can@roche.com)

### Japan

Phone +81 3 6634 1046  
Fax +81 3 5479 0585  
[japan.custombiotech@roche.com](mailto:japan.custombiotech@roche.com)

### Asia Pacific

Phone +65 6371 6638  
Fax +65 6371 6601  
[apac.custombiotech@roche.com](mailto:apac.custombiotech@roche.com)

### Published by

Roche Diagnostics GmbH  
Sandhofer Straße 116  
68305 Mannheim  
Germany

© 2017 Roche Diagnostics GmbH  
All rights reserved.